Université Paris-Saclay IJCLab (Laboratoire de Physique des 2 Infinis Irène Joliot-Curie) Bât. 100, F-91405 Orsay

Séminaire de Physique Nucléaire Théorique

Towards Determining the Short-Range Contribution to Neutrinoless Double-Beta Decay Through Pion-Nucleus Reactions

Feng Wu

(IJCLab)

The unknown short-range contribution to neutrinoless double-beta decay $(0\nu\beta\beta)$ was found to be related to two electromagnetic isospin breaking operators, which would contribute to charge independence breaking (CIB) in nuclear systems and pion-nucleus reactions. To determine such short-range contribution, we construct different CIB quantities from pion-nucleus reactions. By considering elastic scattering between pions and fictitious two-nucleon systems in the ${}^{1}S_{0}$ channel, we calculate one of these CIB quantities and resolve the corresponding renormalization problem. Two short-range operators are found to be necessary at leading-order to ensure renormalizability. It is shown that the renormalization in pion-nucleus scattering is consistent with that in $0\nu\beta\beta$. As a proof of principle, we demonstrate that the short-range contribution to $0\nu\beta\beta$ could be determined from pion-nucleus reactions. To eventually fix the short-range contribution, experimental inputs from pion-nucleus reactions and solid many-body calculations are needed.

> Jeudi 17 Octobre 2024 14 :00 IJCLab, Bât. 100, Salle Room A201