## SEMPARIS – Séminaires en région parisienne

http://string.lpthe.jussieu.fr/semparis/

## Séminaire informel

Mercredi 24 Mai 2017, 14:00

LPTHE, Bibliothèque

Domaines: hep-th—math—math-ph—math.AG—math.CO—math.KT—math.MP—math.QA

Titre: Schubert calculus and quantum integrability (3/3)

Orateur: Paul Zinn-Justin (University of Melbourne)

Résumé: Schubert calculus is a branch of enumerative geometry, which deals with configurations of linear subspaces of a vector space. Translated into the modern language, it amounts to certain calculations in the cohomology ring of Grassmannians and flag varieties. A practical problem is to give a combinatorial rule for the structure constants of that ring. A few years ago, I observed that there was a hidden quantum integrability in the case of Grassmannians (for which the combinatorial rule is the so-called Littlewood-Richardson rule). In a somewhat unrelated development, there has been a growing body of work (including my own) showing the deep connection between cohomology theories (ordinary cohomology, K-theory, elliptic cohomology) and quantum integrable systems. In particular Maulik and Okounkov introduced a nice framework for this connection. It is natural to try to reinterpret my observation above in this language. After introducing these various concepts, I shall present recent work with A. Knutson in this direction. In particular, this provides completely new rules for the calculation of structure constants of the equivariant cohomology or K-theory of d-step flag varieties for d smaller or equal to 4, thus moving several "steps" closer to the completion of the program of Schubert calculus.