

# SEMPARIS – Séminaires en région parisienne

<http://string.lpthe.jussieu.fr/semparis/>

## Workshop or Conference

**Jeudi 17 Août 2017, 09 :30**

LPTENS, Room Conf. IV( Workshop on "Exceptional and ubiquitous Painlevé equations for Physics". Please see webpage <https://indico.in2p3.fr/event/14720/> )

Domaines : math-ph

Titre : *Painlevé functions, Fredholm determinants and combinatorics*

Orateur : **Oleg Lisovyi ( Université de Tours )**

Résumé : *I am going to explain the explicit construction of general solutions to isomonodromy equations, with the main focus on the Painlevé VI equation. I will start by deriving a Fredholm determinant representation of the Painlevé VI tau function. The corresponding integral operator acts in the direct sum of two copies of  $L^2(S^1)$ . Its kernel is expressed in terms of hypergeometric fundamental solutions of two auxiliary 3-point Fuchsian systems whose monodromy is determined by the monodromy of the associated linear problem via a decomposition of the 4-punctured sphere into two pairs of pants. In the Fourier basis, this kernel is given by an infinite Cauchy matrix. I will explain how the principal minor expansion of the Fredholm determinant yields a combinatorial series representation for the general solution to Painlevé VI in the form of a sum over pairs of Young diagrams. The latter series coincides with the dual Nekrasov partition function of the  $\mathcal{N} = 2$   $N_f = 2$   $SU(2)$  gauge theory in the self-dual  $\Omega$ -background.*

---