Institut Henri Poincaré

11 rue Pierre et Marie Curie, 75231 Paris cedex 05

String Theory in Greater Paris

Rencontres Théoriciennes

"Supergravité, théorie des cordes et théorie M"

Jeudi 9 Janvier 2020, 11:40

Maximilian Attems

Universidade de Santiago de Compostela

Holographic dynamics of phase separation

Understanding hot unstable plasmas such as the ones produced at RHIC is a notoriously difficult open problem that needs to be tackled in order to elucidate the QCD phase diagram. The detection of a spinodal instability of the plasma would present a key signature of the presumed first-order phase transition. In this talk I will report on progress in describing hot unstable plasmas in the context of the gauge/gravity duality. I will discuss a holographic non-conformal model of hot plasma with QCD-like properties and explain the features of a first-order phase transition near criticality. A spinodal instability of the plasma is modeled by a Gregory-Laflamme type instability in gravity. While the standard Mueller-Isreal-Stewart hydrodynamical prescription fails due to the presence of large plasma gradients I will demonstrate the necessary correction terms for the surprisingly good hydrodynamical description of the pressures.

Institut Henri Poincaré, salle 314, 3ème étage

Retrouvez les activités de la communauté parisienne de théorie des cordes sur
`http ://string.lpthe.jussieu.fr`
La liste de tous les séminaires en région parisienne est disponible sur
`http ://string.lpthe.jussieu.fr/semparis`